

IMPACT SC 40/70 Series

IMPACT SC 40 USB CTRL BLACK / SC 70 USB CTRL BLACK
IMPACT SC 40 USB MS BLACK / SC 70 USB MS BLACK
IMPACT SC 45 USB CTRL / SC 75 USB CTRL
IMPACT SC 45 USB MS / SC 75 USB MS
IMPACT SC 45 / SC 75

Activate your potential

From contemporary styling to great quality sound, IMPACT SC 40/70 wired headsets excel in all areas – even on-the-go around the office.

With instant-fit features and a choice of acoustic foam ear pads or soft leatherette covers, you get a headset solution with all-day comfort. Offering a wide range of variants, the series delivers mobility and flexibility throughout your busy working day – making it a great choice for a rapid, sustained adoption of your UC solution.

See more at eposaudio.com/impact-sc-40-70



Key benefits & features

Great quality sounding calls

With EPOS Voice™ technology and noise-cancelling microphone for natural, clear conversations

Ensure clear calls with certified solutions

Optimized for Unified Communications and Skype for Business Certified

Unique contemporary design

Crafted with look and feel in mind

Manage calls seamlessly

Via the in-line call control to answer/end calls, redial calls, adjust volume and mute microphone

Enjoy great fit and comfort

Flexible headband with soft leatherette padding and 2-in-1 ear pad style. Choose between soft leatherette or acoustic foam



IMPACT SC 40/70 Series

Product data

General

Wearing style	Headband – single and double-sided variants. See table overview.
Color	Black leatherette padding on headband and ear pad/s cover/s
Headset weight	92 g / 3.25 oz (Single-sided with USB) SC 40 USB CTRL BLACK/ USB MS BLACK 120 g /4.23 oz (Double-sided with USB) SC 70 USB CTRL BLACK/ USB MS BLACK 102 g / 3.6 oz (Single-sided with USB) SC 45 USB CTRL / USB MS 130 g /4.59 oz (Double-sided with USB) SC 75 USB CTRL / USB MS 64 g / 2.26 oz (Single-sided with 3.5 mm jack only) SC 45 92 g / 3.25 oz (Double-sided with 3.5 mm jack only) SC 75
Warranty	2 years

Audio

Microphone	Noise-cancelling microphone for speech clarity
Microphone frequency response	150 – 6,800 Hz (Wideband)
Speaker type	High-quality neodymium magnet speaker
Speaker frequency response	60 – 16,000 Hz (Wideband)
Sound pressure	Max 113 dB limited by EPOS ActiveGard® on USB interface Max 118 dB limited by EPOS ActiveGard® on 3.5 mm interface
Made for communication & multimedia*	Sound enhancement profiles adjust automatically for optimal communication or multimedia

Hearing Protection

EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work limiter**	Enhanced audio protection preventing listening fatigue, average 85 dB over a work day

Easy call management

In-line call control (USB CTRL variants)	Answer/end call, volume up/down, microphone mute, redial last outgoing call and reject incoming call
In-line call control (USB MS variants)	Answer/end call, volume up/down, microphone mute and redial last outgoing call

Content of delivery

What's in the box-headset	<p>SC 40/70 USB variants Headset with USB, foam ear pad/s and leatherette cover/s, carry pouch, printed quick guide, printed safety guide</p> <p>SC 45/75 USB variants Headset with 3.5 mm jack, foam ear pad/s and leatherette cover/s, detachable USB cable with in-line call control, carry pouch, printed quick guide, printed safety guide</p> <p>SC 45/75 variants Headset with 3.5 mm jack, foam ear pad/s and leatherette cover/s, carry pouch, printed quick guide, printed safety guide</p>
---------------------------	--

Software

EPOS Connect (Freeware)	Remote call control, firmware updates and settings: eposaudio.com/software-epos-connect
PC Software (Freeware)	For other relevant PC software, please check: eposaudio.com/software
EPOS Manager (Saas)	Manage, update and configure your EPOS audio devices from one location: eposaudio.com/software-epos-manager
UC compatible	Yes. For more information please go to: eposaudio.com/compatibility

* Available when the headset is connected via USB

** Noise at Work: The EU's "Noise at Work Directive" (2003/10/EC) sets limits for two types of noise in the workplace: Acoustic burst and Sustained Noise.

IMPACT SC 40/70 Series

Additional benefits & features

Optimized for communication and multimedia

With automatic sound-enhancement profiles

Optimal speech transmission

Bendable boom arm ensures optimal microphone position

Protects your hearing

From acoustic shock with EPOS ActiveGard® technology




Switchable Noise at Work limiter

In compliance with EU Noise at Work Directive (Directive 2003/10/EC)

Easy to store and transport

With protective carry pouch

Product overview

Connects to	Product	Description	Details	EAN / UPC code
PC via USB 	SC 40 USB CTRL Black Art. no. 506500	Single-sided, USB	Optimized for UC	EAN: 40 44155 20694 4 UPC: 6 15104 27018 3
	SC 70 USB CTRL Black Art. no. 506504	Double-sided, USB	Optimized for UC	EAN: 40 44155 20698 2 UPC: 6 15104 27030 5
	SC 40 USB MS Black Art. no. 506498	Single-sided, USB	Skype for Business Certified	EAN: 40 44155 20692 0 UPC: 6 15104 27016 9
	SC 70 USB MS Black Art. no. 506502	Double-sided, USB	Skype for Business Certified	EAN: 40 44155 20696 8 UPC: 6 15104 27022 0
PC via USB Smartphone & tablet via 3.5 mm jack 	SC 45 USB CTRL Art. no. 507084	Single-sided, 3.5 mm jack and USB	Optimized for UC	EAN: 40 44155 21240 2 UPC: 6 15104 27737 3
	SC 75 USB CTRL Art. no. 507087	Double-sided, 3.5 mm jack and USB	Optimized for UC	EAN: 40 44155 21243 3 UPC: 6 15104 27741 0
	SC 45 USB MS Art. no. 507083	Single-sided, 3.5 mm jack and USB	Skype for Business Certified	EAN: 40 44155 21239 6 UPC: 6 15104 27736 6
	SC 75 USB MS Art. no. 507086	Double-sided, 3.5 mm jack and USB	Skype for Business Certified	EAN: 40 44155 21242 6 UPC: 6 15104 27740 3
Smartphone & tablet via 3.5 mm jack 	SC 45 Art. no. 507082	Single-sided, 3.5 mm jack		EAN: 40 44155 21238 9 UPC: 6 15104 27735 9
	SC 75 Art. no. 507085	Double-sided, 3.5 mm jack		EAN: 40 44155 21241 9 UPC: 6 15104 27739 7

